



Collection

www.trizo21.com

		Specs
2Thirty	p. 6	p. 120
Aude	p. 20	p. 124
Audette	p. 28	p. 124
Audy	p. 36	p. 130
Aust-In	p. 44	p. 132
Austere	p. 46	p. 133
Bily	p. 82	p. 140
Bouly	p. 84	p. 142
Code	p. 90	p. 144
Kwa-Kwa	p. 94	p. 148
Mini-Pi	p. 96	p. 149
Naga	p. 102	p. 150
Pin	p. 104	p. 151
R-Range	p. 108	p. 152
Scar-Led	p. 112	p. 156
Scar-Lite	p. 114	p. 158
Sirens	p. 116	p. 159

2Thirty-CV2

design by
Bruno Van Meenen





2Thirty-Floor 1

design by
Bruno Van Meenen



2Thirty-Floor 2

design by
Bruno Van Meenen



2Thirty-W1

design by
Bruno Van Meenen



photo by Arneek Veniminen, project by JUMA Architects



photo by Arneek Veniminen, project by JUMA Architects

2Thirty-WV2



design by
Bruno Van Meenen



photo by Arneke Venimmen, project by JUMA Architects







2Thirty-Track

design by
Bruno Van Meenen

Aude-Floor

design by
Bruno Van Meenen





Aude-Floor

design by
Bruno Van Meenen



Aude-Table

design by
Bruno Van Meenen





Aude-Table

design by
Bruno Van Meenen



Photo by Collins

Audette in _____

design by
Bruno Van Meenen



photo by Thooft



photo by Thooft



Audette up

design by
Bruno Van Meenen



Audette W1

design by
Bruno Van Meenen



project by Candelo



photo by Tjib Verweeten, project by ABS Bouwteam & Alster Makhuur



project by Candela

Audette Track


design by
Bruno Van Meenen



Audy up Rounded

design by
Bruno Van Meenen





Audy-Solitaire RF Track

design by
Bruno Van Meenen




Project by Conditio



Project by Conditio



photos by Christ



photos by Stijn de Maat

Audy-Wall

design by
Bruno Van Meenen

Aust-In

design by
Hans Verstuyff



photo by Stéphane Malheux Photography, project by Hozonlighting



photo by Vincent Lerooux, project by Studio Razzoli

Austere-Chandelier 1Y/1X

design by
Hans Verstuyft



photo by Vincent Lerooux, project by Studio Razzoli

Austere-Chandelier 2X

design by
Hans Verstuyff



Austere-Chandelier 2Y

design by
Hans Verstuyff





Austere-Chandelier 2Y

design by
Hans Verstuyft

Austere-Chandelier 3Y/3X

design by
Hans Verstuyff



photo by Aarnick Vermeulen, project by IDMA Architects



photo by Oded Sincabi, project by YONG Interior Design Studio

Austere-Elements

Design your Austere-Elements composition with the application: www.elements-configurator.trizo21.com

design by
Hans Verstuyft



project by flecthome

Austere-Elements

design by
Hans Verstuyft



photo by Colofix, project by Von Dornick-Vandepoort architecten

Design your Austere-Elements composition with the application:

www.elements-configurator.trizo21.com

Austere-Elements

design by
Hans Verstuyff





© 2018 Hans Verstuyft

Austere-Elements custom

design by
Hans Verstuyft



photo by Prolform

Austere-Floor

design by
Hans Verstuyft

Austere-Solitaire

design by
Hans Verstuyff



photo by Anneke Vermeiren, styled by Ann Architecten, ABE bouwkam



photo by Collette, Project by Anjo Vissers



Austere-Solitaire

design by
Hans Verstuyft



photo by Bert Democure, project by Laura Collevici

Austere-Suspension

design by
Hans Verstuyft



photo by Corinne

Austere-Suspension custom

design by
Hans Verstuyft

Austere-Table

design by
Hans Verstuyff





photo by David Cousin-Mary



photo by David Cousin-Mary



photo by David Cousin-Mary

Austere-Table custom

design by
Hans Verstuyft

Austere-Wall

design by
Hans Verstuyff



photo by Viola Epler fotografie



photo by Tichit




photo by Dimiti Kallazaris

Austere-Wall

design by
Hans Verstuyft



Bily 16 up

design by
Bruno Van Meenen

Bouly 16 in _____

design by
Bruno Van Meenen



photo by T1 Fotografie



photo by Peter Steeds

Bouly 16 BATHROOM


design by
Bruno Van Meenen



photo by Collette, project by RR Interieur & Bij Interieur

Bouly 4 OUT

design by
Bruno Van Meenen





Code 1

design by
Bruno Van Meenen

Code-Wall IN & OUT

design by
Bruno Van Meenen





Kwa-Kwa

design by
Bruno Van Meenen

Mini-Pi in _____

design by
Bruno Van Meenen



photo by Tibbets



Mini-Pi in _____

design by
Bruno Van Meenen



project by Candela

Mini-Pi up

design by
Bruno Van Meenen

Naga

design by
Bruno Van Meenen





Pin-In

design by
Bruno Van Meenen



R-Range in _____

design by
Bruno Van Meenen





R-Range up

design by
Bruno Van Meenen






Scar-Led

design by
Bruno Van Meenen

Scar-Lite

design by
Bruno Van Meenen




Sirens

design by
Olga Bielawska



Specifications


www.trizo21.com



2Thirty-C1

230V (110V on demand) - TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90

Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-CH2

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90


Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-C1 in

230V (110V on demand) - TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90


Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-Floor 1

110V-230V/350mA - PUSH-DIM on armature
1 x 11,8W (LED incl.) - 1 x 1241lm
2700K - CRI >97


Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-C1 in 350mA

350mA - dimmable
1 x 11,8W (LED incl.) - 1241lm
2700K - CRI >97


Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-CV2

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90

Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-Floor 2

110V-230V/350mA - PUSH-DIM on armature
2 x 11,8W (LED incl.) - 2 x 1241lm
2700K - CRI >97

Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-C2 in

230V (110V on demand) - TRIAC dimmable
2 x 10W (LED incl.) - 2 x 1000lm
2700K - CRI >90


Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-C2 in 350mA

350mA - dimmable
2 x 11,8W (LED incl.) - 2 x 1241lm
2700K - CRI >97

Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-W1

230V (110V on demand) - ON/OFF on armature
TRIAC dimmable
1 x 10W (LED incl.) - 1000lm
2700K - CRI >90

Ring:
black ●
bronze ●
gold ●
alu ●



2Thirty-W1 in

230V (110V on demand) - ON/OFF on armature
 TRIAC dimmable
 1 x 10W (LED incl.) - 1000lm
 2700K - CRI >90

Ring:
 black ●
 bronze ●
 gold ●
 alu ●



2Thirty Track 48V

48V/350mA
 1 x 11,8W (LED incl.) - 1241lm
 2700K - CRI >97


Ring:
 black ●
 bronze ●
 gold ●
 alu ●



2Thirty-W1 in 350mA

350mA - PUSH-DIM on armature
 1 x 11,8W (LED incl.) - 1241lm
 2700K - CRI >97

Ring:
 black ●
 bronze ●
 gold ●
 alu ●



2Thirty Track 230V

230V - TRIAC/IGBT dimmable
 1 x 10W (LED incl.) - 1000lm
 2700K - CRI >90


Ring:
 black ●
 bronze ●
 gold ●
 alu ●



2Thirty-W1 plug

230V (110V on demand) - ON/OFF on armature
 1 x 10W (LED incl.) - 1000lm
 2700K - CRI >90


Ring:
 black ●
 bronze ●
 gold ●
 alu ●



7Ty in

350mA
 1 x 11,8W (LED incl.) - 1241lm
 2700K - CRI >97


black ●
 white ○
 bronze ●
 gold ●
 alu ●



2Thirty-WH2

230V (110V on demand) - ON/OFF on armature
 TRIAC dimmable
 2 x 10W (LED incl.) - 2 x 1000lm
 2700K - CRI >90 - TRIAC dimmable

Ring:
 black ●
 bronze ●
 gold ●
 alu ●



7Ty up

230V/250mA - TRIAC/IGBT dimmable
 1 x 11,8W (LED incl.) - 913lm
 2700K - CRI >97

black ●
 white ○
 bronze ●
 gold ●
 alu ●



2Thirty-WV2

230V (110V on demand) - ON/OFF on armature
 TRIAC dimmable
 2 x 10W (LED incl.) - 2 x 1000lm
 2700K - CRI >90

Ring:
 black ●
 bronze ●
 gold ●
 alu ●



7Ty up BATHROOM

230V/250mA - TRIAC/IGBT dimmable
 1 x 11,8W (LED incl.) - 913lm
 2700K - CRI >97


black ●
 white ○
 bronze ●
 gold ●
 alu ●



7Ty up OUT

230V/250mA - TRIAC/IGBT dimmable
 1 x 11,8W (LED incl.) - 913lm
 2700K - CRI >97

black ●
 white ○
 bronze ●
 gold ●
 alu ●



Aude-Floor

100V-240V/500mA - PUSH-DIM button on cable
 1 x 4,32W (LED incl.) -
 2700K (487lm) or 3000K (517lm) - CRI >95


- brass ●
- gunmetal ●
- bronze ●
- nickel ●



Audette-Duo in

350mA
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95

- brass ●
- black ●
- white ○



Aude-Table

100V-240V/500mA - PUSH-DIM button on cable
 1 x 4,32W (LED incl.)
 2700K (487lm) or 3000K (517lm) - CRI >95


- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●



Audette-Varié in

350mA
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95


- brass ●
- black ●
- white ○



Aude-Wall L

500mA
 1 x 4,32W (LED incl.)
 2700K (487lm) or 3000K (517lm) - CRI >95


- brass ●
- gunmetal ●
- bronze ●
- nickel ●



Audette R6

350mA
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Aude-Wall L plug

100V-240V/500mA - PUSH-DIM button on cable
 1 x 4,32W (LED incl.)
 2700K (487lm) or 3000K (517lm) - CRI >95

- brass ●
- gunmetal ●
- bronze ●
- nickel ●



Audette-Duo R6

350mA
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95


- brass ●
- black ●
- white ○



Audette in

350mA
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Audette 1 up

230V/350mA - TRIAC/IGBT dimmable
 1 x 6,25W (LED incl.)
 2700K (633lm) or 3000K (673lm) - CRI >95


- brass ●
- black ●
- white ○



Audette 2 up

230V/350mA - TRIAC/IGBT dimmable
 2 x 6,25W (LED incl.)
 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

- brass ●
- black ●
- white ○



Audette 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95


brass
black
white



Audette-Varié 1 up

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white



Audette 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95


brass
black
white



Audette-Varié 2 up

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass
black
white



Audette-Duo 1 up

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass
black
white



Audette-Varié 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95


brass
black
white



Audette-Duo 2 up

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass
black
white



Audette-Varié 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95


brass
black
white



Audette-Duo 3 up

230V/350mA - TRIAC/IGBT dimmable
3 x 6,25W (LED incl.)
2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95


brass
black
white



Audette 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass
black
white
gunmetal
bronze
nickel



Audette-Duo 4 up

230V/350mA - TRIAC/IGBT dimmable
4 x 6,25W (LED incl.)
2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95

brass
black
white




Audette 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass
black
white
gunmetal
bronze
nickel





Audette-Duo 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass ●
black ●
white ○



Audette-Varié W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


brass ●
black ●
white ○



Audette-Duo 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

brass ●
black ●
white ○



Audette WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ○



Audette-Varié 1 up Rounded

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass ●
black ●
white ○



Audette-Duo WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○



Audette-Varié 2 up Rounded

230V/350mA - TRIAC/IGBT dimmable
2 x 6,25W (LED incl.)
2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95


brass ●
black ●
white ○



Audette-Varié WD1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○



Audette W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ○



Audette Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ○



Audette-Duo W1 in Rounded

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○



Audette-Duo Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass ●
black ●
white ○



Audette-Varié Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95


brass ●
black ●
white ○



Audy 1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy 2 up Rounded

230V/500mA - TRIAC/IGBT dimmable
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy-Duo 1 up Rounded

230V/500mA - TRIAC/IGBT dimmable
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95

brass ●
black ●
white ○



Audy-Duo 2 up Rounded

230V/500mA - TRIAC/IGBT dimmable
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

brass ●
black ●
white ○



Audy-In

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy-In BATHROOM

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - 3000K - CRI >95


brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy-In OUT

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - 3000K - CRI >95

black ●
white ○




Audy-Solitaire RF

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Possibility to shorten rod with tube cutter

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●




Audy-Solitaire RF D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Possibility to shorten rod with tube cutter

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●




Audy-Solitaire RL

350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Longer cable lengths available on demand.

brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy-Solitaire RL D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

Longer cable lengths available on demand.


brass ●
black ●
white ○
gunmetal ●
bronze ●
nickel ●



Audy-Solaire RF 75 / RF 100 Track 48V

48V/350mA
1 x 6,25W (LED incl.)
2700K (633lm) or 3000K (673lm) - CRI >95

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Audy-Wall 1S

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Audy-Wall 1S Duo

500mA
1 x 4,32W (LED incl.)
2700K (487lm) or 3000K (517lm) - CRI >95


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●



Audy-Wall 2S

500mA
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Audy-Wall 2S Duo

500mA
2 x 4,32W (LED incl.)
2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Aust-In

350mA
1 x 6W (LED incl.) 634lm
2700K - CRI >93


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Aust-In Adjustable

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Aust-In Adjustable Track 48V

48V/350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○




Austere-Chandelier 1Y RF 75/ RF 100

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ○




Austere-Chandelier 1Y RS 16

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ○




Austere-Chandelier 1Y RL 79

350mA
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ○




Austere-Chandelier 2Y RF 75 / RF 100

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ○




Austere-Chandelier 2Y RS 16

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 1X RS 16

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 2Y RL 79

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 1X RL 79

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3Y RF 75 / RF 100

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 2X RF 75 / RF 100

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3Y RS 16

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 2X RS 16

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3Y RL 79

350mA
9 x 6W (LED incl.) - 9 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
Ø 590 mm / Ø 1090 mm / Ø 1590 mm.




Austere-Chandelier 2X RL 79

350mA
8 x 6W (LED incl.) - 8 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 1X RF 75 / RF 100

350mA
4 x 6W (LED incl.) - 4 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3X RF 75 / RF 100

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm




Austere-Chandelier 3X RS 16

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm



Austere-Chandelier 3X RL 79

350mA
12 x 6W (LED incl.) - 12 x 634lm
2700K - CRI >93

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●

Each arm on the same level has the same length:
L : 516 mm / 949 mm / 1382 mm - W : 316 mm / 565 mm / 815 mm



Austere-Elements

350mA
per light-element: 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●



Austere-Elements SU

350mA
per light-element: 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●



Austere-D1 3 RF 75 / RF 100

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93


- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●



Austere-Floor

100V-240V/350mA - PUSH-DIM button on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●



Austere-D2 5 RF 75 / RF 100

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
5 x 6W (LED incl.) - 5 x 634lm
2700K - CRI >93

- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●




Austere-D1 3 RL 79

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
3 x 6W (LED incl.) - 3 x 634lm
2700K - CRI >93

- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●

Longer cable lengths available on demand.




Austere-Solitaire RF

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●

Possibility to shorten rod with tube cutter




Austere-D2 5 RL 79

230V/350mA - TRIAC/IGBT or 1-10V or PUSH-DIM or DALI dimmable
5 x 6W (LED incl.) - 5 x 634lm
2700K - CRI >93

- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●

Longer cable lengths available on demand.




Austere-Solitaire RF D*B

230V/350mA - TRIAC/IGBT dimmable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass ●
- black ●
- white ●
- gunmetal ●
- bronze ●
- nickel ●

Possibility to shorten rod with tube cutter




Austere-Solitaire RL

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

Longer cable lengths available on demand.

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●




Austere-Solitaire RL D+B

230V/350mA - TRIAC/IGBT dimmable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

Longer cable lengths available on demand.


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Austere-Solitaire RF 75/ RF 100 Track 48V

48V/350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●




Austere-Suspension 1+ RF 75 / RF 100

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●




Austere-Suspension 1+ RS 16

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm

- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●




Austere-Suspension 1+ RL 79

350mA
6 x 6W (LED incl.) - 6 x 634lm
2700K - CRI >93

L : 1120 mm / 1370 mm / 1620 mm / 1870 mm
W : 590 mm / 1090 mm


- brass ●
- black ●
- gunmetal ●
- bronze ●
- nickel ●



Austere-Table

100V-240V/350mA - PUSH-DIM button on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Austere-Wall built-in

350mA
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Austere-Wall plug

100V-240V/350mA - PUSH-DIM button dimmer on cable
1 x 6W (LED incl.) - 634lm
2700K - CRI >93


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ●



Austere-Wall push built-in

350mA - PUSH-DIM button on base
 1 x 6W (LED incl.) - 634lm
 2700K - CRI >93


- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Bily 16 BATHROOM

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 BATHROOM Sandblasted

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Austere-Wall push plug

100V-240V/350mA - PUSH-DIM button on base
 1 x 6W (LED incl.) - 634lm
 2700K - CRI >93

- brass ●
- black ●
- white ○
- gunmetal ●
- bronze ●
- nickel ○



Bily 16 OUT

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 OUT Sandblasted

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 in

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 up

230V/350mA - TRIAC/IGBT dimmable
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 in Sandblasted

350mA
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 up Sandblasted

230V/350mA - TRIAC/IGBT dimmable
 1 x 11W (LED incl.) - 1125lm
 2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ○



Bily 16 up BATHROOM

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ●



Bouly 4 OUT

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


- LED holder: silver ●



Bily 16 up BATHROOM Sandblasted

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ●



Bouly 16

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- LED holder: silver ●
- gold ●



Bily 16 up OUT

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ●



Bouly 16 Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- LED holder: silver ●
- gold ●



Bily 16 up OUT Sandblasted

230V/350mA - TRIAC/IGBT dimmable
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- black ●
- white ○
- bronze ●
- gold ●
- alu ●



Bouly 16 BATHROOM

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

- LED holder: silver ●
- gold ●



Bouly 4

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


- LED holder: silver ●



Bouly 16 BATHROOM Sandblasted

350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


- LED holder: silver ●
- gold ●



Bouly 4 BATHROOM

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


- LED holder: silver ●



Bouly 16 OUT



350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97

- LED holder: silver ●
- gold ●



Bouly 16 OUT Sandblasted





350mA
1 x 11W (LED incl.) - 1125lm
2700K - CRI >97


LED holder:
silver 
gold 



Bouly Table




230V/350mA - PUSH-DIM button on cable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Bouly W/C





350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Bouly W/C D+B





230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
grey 
chrome 



Code 1 GU10




230V - GU10
1 x QPAR16 max. 50W or 1 x GU10 LED

black 
white 
alu 
bronze 
chrome 



Code 1 GU10 BATHROOM

230V - GU10
1 x HALO QPAR16 max. 35W or 1 x GU10 LED


black 
white 
alu 



Code 1 GU10 OUT






230V - GU10 - 1
x HALO QPAR16 max. 35W or 1 x GU10 LED

black 
white 
alu 



Code 1 LED

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 
bronze 
chrome 



Code 1 LED BATHROOM

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 



Code 1 LED OUT






230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black 
white 
alu 



Code 2 GU10

230V - GU10
2 x QPAR16 max. 50W or 2 x GU10 LED

black 
white 
alu 
bronze 
chrome 



Code 2 GU10 BATHROOM

230V - GU10
2 x HALO QPAR16 max. 35W or 2 x GU10 LED

black 
white 
alu 



Code 2 GU10 OUT

230V - GU10
2 x HALO QPAR16 max. 35W or 2 x GU10 LED

black ●
white ○
alu ○



Code 2 LED

230V/350mA - TRIAC/IGBT dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●
chrome ○



Code 2 LED BATHROOM

230V/350mA - non-dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93


black ●
white ○
alu ○



Code 2 LED OUT

230V/350mA - non-dimmable
8 x 0.96W (LED incl.) - 912lm
2700K - CRI >93


black ●
white ○
alu ○



Code W G9

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

black ●
white ○
alu ○
bronze ●
chrome ○



Code W G9 BATHROOM

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)


black ●
white ○
alu ○



Code W G9 OUT

230V - G9
1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)


black ●
white ○
alu ○



Code W LED

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



Code W LED BATHROOM

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



Code W LED OUT

350mA
1 lighting side : 4 x 0.96W (LED incl.) - 456lm
2 lighting sides : 8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○



I-Tro

24Vdc
1 lighting side : 120 x 30W (LED incl.) - 2280lm
2 lighting sides : 240 x 60W (LED incl.) - 4560lm
2850K - CRI >90

black ●
white ○



I-Tro D+B

100V-240V/24Vdc - 1-10V dimmable
1 lighting side : 120 x 30W (LED incl.) - 2280lm
2 lighting sides : 240 x 60W (LED incl.) - 4560lm
2850K - CRI >90


black ●
white ○



Kwa-Kwa 1F Round

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu



Kwa-Kwa 2FT rectangular LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W

alu



Kwa-Kwa 1F Square

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu



Kwa-Kwa 4FT rounded LED

230V - TRIAC/IGBT dimmable - G53
4 x R111 LED max. 45W

alu



Kwa-Kwa 1F +B round

12V - G53
1 x R111 HALO max. 75W or R111 LED


alu



Mini-Pi 1 in

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black
white
alu
bronze



Kwa-Kwa 1FT rounded LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W


alu



Mini-Pi 1 up

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black
white
alu
bronze



Kwa-Kwa 1FT rectangular LED

230V - TRIAC/IGBT dimmable - G53
1 x R111 LED max. 60W


alu



Mini-Pi 1 up round

230V/350mA - non-dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

black
white
alu
bronze



Kwa-Kwa 2FT rounded LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W

alu



Mini-Pi 2 in

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black
white
alu
bronze



Mini-Pi 2 up

230V/350mA - TRIAC/IGBT dimmable
8 x 0,96W (LED incl.) - 2 x 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



N-Tro D+B

100V-240V/24Vdc - 1-10V dimmable
240 x 60W (LED incl.) - 4560lm
2850K - CRI >90

black ●
white ○



Mini-Pi 3 up

230V/350mA - TRIAC/IGBT dimmable or
110V-230V/350mA - 1-10V or PUSH-DIM dimmable
12 x 0,96W (LED incl.) - 3 x 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Pin-In 1

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
alu ○
bronze ●
chrome ○



Mini-Pi 1 Track 48V

48V/350mA
4 x 0,96W (LED incl.) - 456lm
2700K - CRI >93

black ●
white ○
alu ○
bronze ●



Pin-In 2

12V - G53
2 x R111 max. 100W or R111 LED

black ●
white ○
alu ○
bronze ●
chrome ○



Mini-Pi 2 Track 48V

48V/350mA
8 x 0,96W (LED incl.) - 2 x 456lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



Pin-Up 1 Round LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W

black ●
white ○
alu ○
bronze ●
chrome ○



Naga

110V-230V - GU10 LED


black ●
white ○
bronze ●
gold ●



Pin-Up 1 Square LED

230V - IGBT dimmable - G53
1 x R111 LED max. 60W

black ●
white ○
alu ○
bronze ●
chrome ○



N-Tro

24Vdc
240 x 60W (LED incl.) - 4560lm
2850K - CRI >90


black ●
white ○



Pin-Up 2 LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W


black ●
white ○
alu ○
bronze ●
chrome ○



Pin-Up 4 LED

230V - TRIAC/IGBT dimmable - G53
4 x R111 LED max. 45W

- black ●
- white ○
- alu ○
- bronze ○
- chrome ○



Pin-Up 6 LED

230V - TRIAC/IGBT dimmable - G53
6 x R111 LED max. 45W


- black ●
- white ○
- alu ○
- bronze ○
- chrome ○



R51 in GU10

230V - GU10
1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
1 x GU10 LED

- black ●
- white ○
- chrome ○



R51 in LED

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

- black ●
- white ○
- chrome ○



R51 Rimless LED

350mA
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93

- black ●
- white ○



R51 up GU10

230V - GU10
1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
1 x GU10 LED max. 20W


- black ●
- white ○
- chrome ○



R51 up LED

230V/350mA - non-dimmable or IGBT dimmable
4 x 0.96W (LED incl.) - 456lm
2700K - CRI >93


- black ●
- white ○



R52 in GU10

230V - GU10
2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
2 x GU10 LED

- black ●
- white ○
- chrome ○



R52 in LED

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93

- black ●
- white ○
- chrome ○



R52 Rimless LED

350mA
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93

- black ●
- white ○



R52 up GU10

230V - GU10
2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
2 x GU10 LED max. 20W


- black ●
- white ○
- chrome ○



R52 up LED

230V/350mA - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable
8 x 0.96W (LED incl.) - 2 x 456lm
2700K - CRI >93

- black ●
- white ○



R54 in GU10

230V - GU10
4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
4 x GU10 LED


black ●
white ○
chrome ○



R07 Rimless

12V
BA15d - 1 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R54 in LED

350mA
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93


black ●
white ○
chrome ○



R07 up

230V - non-dimmable
BA15d - 1 x QR70 max. 50W


black ●
white ○
chrome ○



R54 Rimless LED

350mA
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93

black ●
white ○



R70 in

12V
BA15d - 2 x QR70 max. 50W. LED version available on demand.


black ●
white ○
chrome ○



R54 up GU10

230V - GU10
4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or
4 x GU10 LED max. 20W

black ●
white ○
chrome ○



R70 Rimless

12V
BA15d - 2 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R54 up LED

230V/350mA - TRIAC/IGBT or 1-10V, PUSH-DIM dimmable
16 x 0.96W (LED incl.) - 4 x 456lm
2700K - CRI >93

black ●
white ○



R70 up

230V - TRIAC/IGBT dimmable
BA15d - 2 x QR70 max. 50W

black ●
white ○
chrome ○



R07 in

12V
BA15d - 1 x QR70 max. 50W. LED version available on demand.

black ●
white ○
chrome ○



R110 in G53

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



R110 Rimless

12V - G53
1 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



Scar-Led 1FD built-in 60

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R110 up G53 LED

230V - TRIAC/IGBT dimmable
G53 - 1 x R111 LED max. 60W

black ●
white ○
chrome ○



Scar-Led 1FD built-in 95

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R111 in G53

12V - G53
2 x R111 max. 100W or R111 LED


black ●
white ○
chrome ○



Scar-Led 1FD built-up

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R111 Rimless

12V - G53
2 x R111 max. 100W or R111 LED

black ●
white ○
chrome ○



Scar-Led 1FDS built-in 60

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



R111 up G53 LED

230V - TRIAC/IGBT dimmable - G53
2 x R111 LED max. 45W


black ●
white ○
chrome ○



Scar-Led 1FDS built-in 95

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



Scar-Led 1FD built-in 45

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



Scar-Led 1FDS built-up

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ○
bronze ●



Scar-Led 1FDS built-up plug

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ◐
bronze ●



Scar-Lite 1FDS USB built-up

110V-230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93
USB charger 5V incl. - compatible with tablets/smartphones and other USB chargeable devices

black ●
white ○
bronze ●



Scar-Led Table

230V/350mA - EU-plugdriver with switch on cable
1 x 0.96W (LED incl.) - 114lm
2700K - CRI >93


black ●
white ○
alu ◐
bronze ●



Sirens SU diffuser glass

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black ●
white ○
copper ●



Scar-Lite 1FD built-in

110V-230V/350mA - non-dimmable
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - 1-10V or PUSH-DIM or DALI dimmable
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
bronze ●



Sirens SU frosted glass big mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black ●
white ○
copper ●



Scar-Lite 1FDS built-in

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
bronze ●



Sirens SU frosted glass edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black ●
white ○
copper ●



Scar-Lite 1FDS built-up

110V-230V/350mA - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93


black ●
white ○
bronze ●



Sirens SU frosted glass small mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
bulb size for Ø 210: max. Ø 45 mm L: 115mm
bulb size for Ø 265: max. Ø 60mm L: 175mm

black ●
white ○
copper ●



Scar-Lite 1FDS built-up plug


110V-230V/350mA - EU-plug - ON/OFF on armature
1 x 0.96W (LED incl.) - 114lm
or
230V/500mA - EU-plug - PUSH-DIM on armature
1 x 1.38W (LED incl.) - 157lm
2700K - CRI >93

black ●
white ○
bronze ●



Sirens SU mirror

black ●
white ○
copper ●



Sirens W/C diffuser glass

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
 bulb size for Ø 210: max. Ø 45 mm L: 115mm
 bulb size for Ø 265: max. Ø 60mm L: 175mm


black ●
 white ○
 copper ●



Sirens W/C frosted glass big mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
 bulb size for Ø 210: max. Ø 45 mm L: 115mm
 bulb size for Ø 265: max. Ø 60mm L: 175mm


black ●
 white ○
 copper ●



Sirens W/C frosted glass edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
 bulb size for Ø 210: max. Ø 45 mm L: 115mm
 bulb size for Ø 265: max. Ø 60mm L: 175mm


black ●
 white ○
 copper ●



Sirens W/C frosted glass small mirror + edge mirror

110V-230V - E27 - only energy saving bulbs (LED or FLUO)
 bulb size for Ø 210: max. Ø 45 mm L: 115mm
 bulb size for Ø 265: max. Ø 60mm L: 175mm

black ●
 white ○
 copper ●



Sirens W/C mirror

black ●
 white ○
 copper ●


Trizo21 | Kerrebroek 52 | B-9850 Deinze | Belgium

T +32 (0)9 380 43 43

E info@trizo21.com

W www.trizo21.com

W www.elements-configurator.trizo21.com

 [instagram.com/trizo21](https://www.instagram.com/trizo21)

 [facebook.com/trizo21](https://www.facebook.com/trizo21)

All models | Copyright & all rights reserved © Trizo21 & Bruno Van Meenen

All products | Handmade in Belgium

Catalogue | 2023

All information in this catalogue is without engagement, replaces all preceding information and can always be modified.

Trizo21 bvba has the right to change the technical aspects of its products at any time without prior notice.

All our product carry the CE logo. The CE logo represents an implicit quality assurance.

For further technical information, please visit www.trizo21.com

No part of this catalogue may be reproduced without written authorisation of Trizo21 bvba.

