



SHOWCASE





ONE

NUMINOS®	02
NUMINOS® RECESSED	04
UNIVERSAL FIRE-RATED DOWNLIGHT - FIXED	06
UNIVERSAL FIRE-RATED DOWNLIGHT - MOVE	08
NEW TRIA	10
KADUX	12
MEDO	14
ONE	16
PANTILO	18
TRACK	20
AVO / ENOLA / PURI / NOBLO	22
RUSTY® / RUSTY® SLOT	24
ENOLA / BIG THEO / DOWNUNDER	26

NUMINOS®

One lighting system - A thousand possibilities. No two projects are the same, many projects demand a coherent lighting and design concept. SLV NUMINOS® is a perfectly coordinated lighting system that harmonises function, design and technology.

- Available in three housing sizes
- (65x155mm, 85x175mm, 100x203mm & 120x258mm) with high-power LED module in three light colours (2700K, 3000K, 4000K)
- Selectable lenses with half beam angles of 24°, 36° or 60°
- Easy to install
- Numinos® is designed exclusively for use with the SLV 3-circuit track solution
- 3 circuit track also available from SLV in 1, 2, 3 and 4m

Spot

Part No.	Description
1004203	Numinos® Spot Phase M, 3000K 36° - Black
1004482	Numinos® Spot Dali M, 2700K 24° - Black
1004198	Numinos® Spot Phase M, 2700K 24° - White
1004504	Numinos® Spot Dali M, 4000K 60° - White



Track

Part No.	Description
1004179	3~ Numinos® Phase M, 3000K 36° - Black
1004460	3~ Numinos® Dali M, 2700K 60° - Black
1004190	3~ Numinos® Phase M, 4000K 24° - White
1004471	3~ Numinos® Dali M, 3000K 36° - White



Ceiling

Part No.	Description
1004227	Numinos® CL Phase M, 3000K 36° - Black
1004506	Numinos® CL Dali M, 2700K 24° - Black
1004240	Numinos® CL Phase M, 4000K 60° - White
1004518	Numinos® CL Dali M, 3000K 24° - White



Pendant

Part No.	Description
1004242	Numinos® PD Phase M b/b 2700K 24°
1004539	Numinos® PD Dali M b/b 3000K 36°
1004264	Numinos® PD Phase M w/b 4000K 60°
1004543	Numinos® PD Dali M w/b 3000K 36°





NUMINOS® RECESSED

The NUMINOS® light system from SLV combines technology, design and functionality like no other. This way, you can experience a thousand lighting design possibilities with different down lights and spotlights. Also with the NUMINOS® recessed ceiling light, which convinces with the best workmanship and lighting quality. Ideal for harmonious, modern and space-saving lighting that directs the accent to objects or the room.

- Available in seven versions (68-75mm to 176-186mm) with high-performance LED module in three light colours (2700K, 3000K, 4000K)
- Various effect filters
- The decorative ring can be selected in white, black or chrome
- Drivers sold separately
- Whole range available in 3 sizes - small, medium and large
- Available in Black/Black, Black/White, Black/Chrome, White/Black, White/White and White/Chrome
- Move and Fixed models available in 20, 40 and 50 degree angles
- Bespoke configuration available; visit our website for the full product collection
- 270 variants available

Numinos® S

Part No.	Description
1003836	Numinos® DL S, W/W 4000K 55° Move



Numinos® M

Part No.	Description
1003908	Numinos® DL M, W/W 4000K 55° Fix



Numinos® L

Part No.	Description
1003980	Numinos® DL L, W/W 4000K 55° Fix



Numinos® down lights are available as fixed or swivelling versions.



UNIVERSAL FIRE-RATED DOWNLIGHT - FIXED

Universal downlight, available in Fixed or Tilt(Move) solutions. With its adjustable Wattage/CCT options it simply adapts to any environment, providing impressive performance at an affordable price.

- Selectable CCT (2700/3000/4000/6000K)
- Selectable Wattage 5W/8W
- Easy-install quick connector box
- Fire-rated - 30/60/90min solid timber, 30min web joist and 30min i-joist (staircraft)
- IP Rating: Move IP20, FIXED IP65
- Bezels sold separately - Black, White, Chrome, Gold, Matt gold

Fixed

Part No.	Description
1007095	Universal Downlight Fixed Phase Recessed Light



Round Bezels

Part No	Description
1007096	Fixed Round Bezel - Black
1007097	Fixed Round Bezel - White
1007098	Fixed Round Bezel - Chrome
1007099	Fixed Round Bezel - Gold
1007192	Fixed Round Bezel - Matt Gold



Square Bezels

Part No	Description
1007180	Fixed Square Bezel - Black
1007181	Fixed Square Bezel - White
1007182	Fixed Square Bezel - Chrome
1007183	Fixed Square Bezel - Gold
1007193	Fixed Square Bezel - Matt Gold





UNIVERSAL FIRE-RATED DOWNLIGHT - MOVE

Universal downlight, available in Fixed or Tilt(Move) solutions. With its adjustable Wattage/CCT options it simply adapts to any environment, providing impressive performance at an affordable price.

- Selectable CCT (2700/3000/4000/6000K)
- Selectable Wattage 5W/8W
- Easy-install quick connector box
- Fire-rated - 30/60/90min solid timber, 30min web joist and 30min i-joist (stair craft)
- IP Rating: Move IP20, FIXED IP65
- Bezels sold separately - Black, White, Chrome, Gold, Matt gold

Move

Part No.	Description
1007090	Universal Downlight Move Phase Recessed Light



Round Bezels

Part No.	Description
1007091	Move Round Bezel - Black
1007092	Move Round Bezel - White
1007093	Move Round Bezel - Chrome
1007094	Move Round Bezel - Gold
1007191	Move Round Bezel - Matt Gold



Square Bezels

Part No	Description
1007184	Move Square Bezel - Black
1007185	Move Square Bezel - White
1007186	Move Square Bezel - Chrome
1007187	Move Square Bezel - Gold
1007194	Move Square Bezel - Matt Gold





NEW TRIA

Are you looking for amazing, dimmable light for your living areas and business premises? You get this thanks to the integrated Premium LED in the NEW TRIA 68 I CS recessed ceiling light. Of course, there are many different usage options for the luminaire. The NEW TRIA 68 I CS is particularly suitable as a spotlight for accent lighting. With a CRI value of greater than or equal to 80, the NEW TRIA 68 I CS recessed ceiling light is very suitable for true-colour lighting of sales or office premises.

- Available in 3 different colours and sizes
- 2700K or 3000K
- Phase dimmable
- Round or square
- Anticipated service life of 40,000 hours.
- Also available with GU10 lamps

Round

Part No.	Description
1003065	NEW TRIA 68 LED, Round, 2700K - Black
1003066	NEW TRIA 68 LED, Round, 2700K - White
1003067	NEW TRIA 68 LED, Round, 2700K - Aluminium



Square

Part No.	Description
114390	NEW TRIA 68 LED, Square 3000K - Black
114391	NEW TRIA 68 LED, Square, 3000K - White
114396	NEW TRIA 68 LED, Square, 3000K - Aluminium





KADUX

The KADUX recessed fitting series has a robust housing with appealing, high-quality looks. The lamp holders of this GU10 high-voltage version are multi-directional, allowing individual focus of the light beam. KADUX is available in matt black and matt white, and in a single, double or triple-headed version.

- Dimmable
- Available in black and white
- Different sizes
- Also available with QPAR51 and QPAR111

Part No.	Description
115700	KADUX LED, 9W, 38°, 3000K - Matt Black
115701	KADUX LED, 9W, 38°, 3000K - White



Part No.	Description
115710	KADUX LED, 2x 9W, 38°, 3000K - Matt Black
115711	KADUX LED, 2x 9W, 38°, 3000K - White



Part No.	Description
115720	KADUX LED, 3x 9W, 38°, 3000K - Matt Black
115721	KADUX LED, 3x 9W, 38°, 3000K - White



Black White



MEDO

MEDO – MAKING LIGHTING EXCITING

Room design needs lighting to bring it to life. And lighting design needs room to truly shine. The MEDO series by SLV is the elegant way to achieve both. Thanks to its virtually unparalleled range of colour and size options, MEDO is universal. And uniquely customisable for each room.

- Dimmable
- Available in black, white and grey
- Can be converted into a pendant using a suspension kit
- Also available as Dali and Phase dimmable

MEDO 30

Part No.	Description
1000855	MEDO 30 CL 3000K - Black



MEDO 40

Part No.	Description
1000864	MEDO 40 CL 3000K - Black



MEDO 60

Part No.	Description
135120	MEDO 60 CL 3000K - Black



MEDO 90

Part No.	Description
135170	MEDO 90 CL 3000K - Black





ONE

ALL-ROUND SUCCESS FOR IMPRESSIVE SPACES

ONE adds a unique touch to any environment with its minimalist, circular design. This pendant light offers up and down lighting that can be adjusted using a DALI dimmer. A CRI of >90 ensures exceptional colour reproduction. What's more, the light colour can be configured quickly to meet your individual requirements using the CCT switch (3000/4000 K).

- Lifespan 30,000 hrs
- DALI dimmable
- Light colour can be switch between 3000K/4000K
- CRI>90
- Adjustable cable length

ONE

Part No.	Description
1002909	One 60 Dali Indoor LED Pendant - Black
1002910	One 60 Dali Indoor LED Pendant - White
1004759	One 60 Phase Up/Down, 2700/3000K - Black
1004760	One 60 Phase Up/Down, 2700/3000K - White



ONE Double

Part No.	Description
1004765	One Double Phase Up/Down, 2700/3000K - Black
1004766	One Double Phase Up/Down, 2700/3000K - White
1004767	One Double Dali Up/Down, 2700/3000K - Black
1004768	One Double Dali Up/Down, 2700/3000K - White



ONE Triple

Part No.	Description
1002913	One Triple Dali - Black
1002914	One Triple Dali - White





PANTILO

The PANTILO pendant fittings impress with their extraordinary appearance! With its shade made from high-quality glass, the PANTILO range has a beautiful appearance - particularly if it is combined into a “lighting group” by means of individual configuration.

- High quality glass
- Adjustable length

Pantillo 28

Part No.	Description
1006399	Pantillo 28 PD - E27 Pendant Light - White/Chrome
1006397	Pantillo 28 PD - E27 Pendant Light - Gold/Chrome
1003007	Pantillo 28 - E27 Pendant Light - Copper
1003006	Pantillo 28 - E27 Pendant Light - Chrome



Pantillo 20

Part No.	Description
1006396	Pantillo 20 PD - E27 Pendant Light - White/Chrome
1006395	Pantillo 20 PD - E27 Pendant Light - Gold/Chrome
1003004	Pantillo 20 - E27 Pendant Light - Chrome
1003005	Pantillo 20 - E27 Pendant Light - Copper



Pantillo Oval

Part No.	Description
1006402	Pantillo Oval PD - E27 Pendant Light - White/Chrome
1006400	Pantillo Oval PD - E27 Pendant Light - Brass
1006403	Pantillo Oval PD - E27 Pendant Light - Gold
1006398	Pantillo Oval PD - E27 Pendant Light - Chrome



Pantillo Convex

Part No.	Description
1003444	Pantillo Convex 40 - E27 Pendant Light - Chrome
1003443	Pantillo Convex 29 - E27 Pendant Light - Chrome





TRACK

STAYING ON TRACK

Aluminium carrier track of the 1-phase high-voltage surface-mounted track system. Installation can be done through the existing holes in the profile directly onto the wall or the ceiling. The surface-mounted version of this system is available in several colour versions. Alternatively, there is a recessed version available too

- 3 lengths available
- Tracks and fittings are also available in white and grey

Track - 1-phase

Part No.	Description
143010	1-Circuit Track, Black, 1m
143020	1-Circuit Track, Black, 2m
1002151	1-Circuit Track, Black, 3m

Track - 1-phase Accessories

Part No.	Description
143030	Feed-in 1-Circuit Track, Black, Left
143130	End Caps for 1-Circuit Track, Black
143090	Direct Connector 1-Circuit Track, Black

S-Track - 3-phase

Part No.	Description
1004937	3-phase surface-mounted track 1m
1002631	3-phase surface-mounted track 2m
1002633	3-phase surface-mounted track 3m
1002635	3-phase surface-mounted track 4m

S-Track - 3-phase Accessories

Part No.	Description
1002637	Feed-in 1-Circuit Track, Black, Left
175060	End Caps for 1-Circuit Track, Black
175080	Direct Connector 1-Circuit Track, Black

More accessories available online www.slv.com





AVO

Adjustable high-voltage spot AVO with suitable adapter for the 240V 1-phase track system. The luminaire is made of aluminium and, thanks to the GU10 socket, is suitable for both halogen and LED lamps. A deco ring is included to place on the lamp for halogen lamps with 5 cm diameter.

- GU10

Part No.	Description
144200	AVO Spot incl. 1-Phase Adapter - Black



ENOLA B

The puristic ENOLA B track-mounted spotlight consists of an aluminium and steel structure and is optionally available with a white, black, or silver grey housing. The lamp head can be rotated and swivelled. Because of the built-in GU10 240V socket, the ENOLA_B is ready for direct connection to the 1-circuit 240V track system.

- GU10

Part No.	Description
1002110	ENOLA_B, QPAR51 1-Circuit Adapter - Black



PURI

Adjustable high-voltage spot PURI with suitable adapter for the 240V 1-phase track system. The luminaire is made of aluminium and, thanks to the GU10 socket, is suitable for both halogen and LED lamps. A deco ring is included to place on the lamp for halogen lamps with 5 cm diameter.

- GU10

Part No.	Description
143390	PURI, GU10, 1-Circuit Adapter - Black



NOBLO

Adjustable LED spot NOBLO with suitable adapter for the 240V 1-circuit track system. The luminaire impresses with its slim design and is therefore ideal for modern lighting concepts. The luminaire is made from aluminium and equipped with a Premium LED module.

- Dimmable
- 2700K LED

Part No.	Description
1001862	NOBLO, 2700K, 1-Circuit Adapter - Black





RUSTY®

A classic aesthetic in a new light: RUSTY® is an outdoor light family that will win you over with its characteristic rust effect. A timeless look that will only become more unique with every storm: light cannot age more attractively. RUSTY® UP/DOWN is easy to install and perfectly suitable for outdoor areas thanks to its IP65 protection rating.

- IP65
- Light colour switchable between 3000K/4000K
- Available round and square

Part No.	Description
1004650	RUSTY® Up/Down, Square 3000/4000K
1004651	RUSTY® Up/Down, Round 3000/4000K



RUSTY® SLOT

The direct radiating floor stands of the RUSTY® series convince by their exceptional rust look. This is achieved by a special chemical treatment of the FeCSi steel used. This makes the luminaire a unique piece and an absolutely special feature wherever they are installed. Available as bollard and wall light.

- Rusted Steel
- Every light is a unique one-off
- Available in 2 sizes
- LED and E27 version

Part No.	Description
229410	RUSTY® Slot 50, E27 IP44
229411	RUSTY® Slot 80, E27 IP44
233447	RUSTY® 50 LED Slot 3000K, IP55
233457	RUSTY® 80 LED Slot 3000K, IP55





ENOLA

When it comes to purism, the lights in the ENOLA series make no compromises. They are incredibly versatile, and even more options are now available thanks to the new lenses and reflectors, which can be combined for various lighting outputs.

- 3 different sizes
- Light colour switchable between 3000K/4000K
- IP65
- Available round and square
- Easy to install

Part No.	Description
1003422	ENOLA Round S, 3000/4000K - Anthracite
1003423	ENOLA Round M, 3000/4000K - Anthracite
1003440	ENOLA Round L, 3000/4000K - Anthracite



BIG THEO

The BIG THEO WALL LED wall light is made of aluminium and glass. Thanks to its two built-in LEDs, the mounted luminaire produces two different cones of light. It is suitable for use outdoors thanks to its IP44 protection class.

- IP44
- Available with Flood up/down or flood down/beam up

Part No.	Description
234505	BIG THEO, Flood up/down, 3000K, h: 27.5cm - Anthracite
234515	BIG THEO, Flood up/down, 3000K, h: 29cm - Anthracite




DOWNUNDER OUT

The DOWNUNDER OUT LED recessed wall light is made of aluminium, and outfitted with high output SMD LEDs that produce downward directed, glare-free light emission.

- Available in 3 sizes
- IP55
- Mounting box included

Part No.	Description
233605	DOWNUNDER OUT S, 3000K IP55 - Anthracite
233625	DOWNUNDER OUT M, 3000K IP55 - Anthracite
233615	DOWNUNDER OUT L, 3000K IP55 - Anthracite







PANTILO

5 year warranty
24h DE | 48h EU delivery
98% product availability
German Engineering

SLV UK

slv.com/uk_en/

0203 968 1100